

## X-Class

**GS6863**  
Acer X-Class  
Orange/Black



**GS68631**  
Acer X-Class  
Pewter/Black



**GS1005L**  
Acer X-Class  
Purple/Purple



**GS1005L1**  
Acer X-Class  
Pink/Pink

**X-Class**

The Acer X-Class graphite shaft is the perfect match to the Acer line of clubheads. Lightweight 68g graphite and mid torque make this an ideal shaft for golfers of all levels.

X-CLASS ORANGE/BLACK	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
GS6863-001-IAL	Iron	A/L	66 g	4°	0.580"	0.370"	40"	5.5"	High	52-64	L: GG / A: JJ
GS6863-001-IRS	Iron	R/S	69 g	4°	0.580"	0.370"	40"	5.5"	High	57-70	R: GG / S: JJ
GS6863-001-WAL	Wood	A/L	66 g	6°	0.595"	0.335"	46"	6"	High	69-83	L: D / A: H
GS6863-001-WRS	Wood	R/S	68 g	6°	0.595"	0.335"	46"	6"	High	79-96	R: D / S: H

X-CLASS PEWTER/BLACK	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
GS68631-001-IAL	Iron	A/L	66 g	4°	0.580"	0.370"	40"	5.5"	High	52-64	L: GG / A: JJ
GS68631-001-IRS	Iron	R/S	69 g	4°	0.580"	0.370"	40"	5.5"	High	57-70	R: GG / S: JJ
GS68631-001-WAL	Wood	A/L	66 g	6°	0.595"	0.335"	46"	6"	High	69-83	L: D / A: H
GS68631-001-WRS	Wood	R/S	68 g	6°	0.595"	0.335"	46"	6"	High	79-96	R: D / S: H

X-CLASS PURPLE/PURPLE	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
GS1005L-001-IAL	Iron	A/L	66 g	4°	0.580"	0.370"	40"	5.5"	High	52-64	L: GG / A: JJ
GS1005L-001-WAL	Wood	A/L	66 g	6°	0.595"	0.335"	46"	6"	High	69-83	L: D / A: H

X-CLASS PINK/PINK	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
GS1005L1-001-IAL	Iron	A/L	66 g	4°	0.580"	0.370"	40"	5.5"	High	52-64	L: GG / A: JJ
GS1005L1-001-WAL	Wood	A/L	66 g	6°	0.595"	0.335"	46"	6"	High	69-83	L: D / A: H

## Velocity

## Velocity

Acer Velocity graphite shafts are designed with a higher kick point for optimum trajectory, and flexed just right for added distance in every swing. Available in five popular colors, the Acer Velocity shafts are a great match for any clubhead.

**GS10065**  
Velocity Black



**GS100651**  
Velocity Blue



**GS10065L1**  
Velocity Silver



**GS10065L**  
Velocity Pink



**GS10065L2**  
Velocity Light Blue



ACER VELOCITY BLACK	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
GS10065-001-IAL	Iron	A/L	66 g	4°	0.580"	0.370"	40"	5.5"	High	52-64	L: GG / A: JJ
GS10065-001-IRS	Iron	R/S	69 g	4°	0.580"	0.370"	40"	5.5"	High	57-70	R: GG / S: JJ
GS10065-001-WAL	Wood	A/L	66 g	6°	0.595"	0.335"	46"	6"	High	69-83	L: D / A: H
GS10065-001-WRS	Wood	R/S	68 g	6°	0.595"	0.335"	46"	6"	High	79-96	R: D / S: H

ACER VELOCITY BLUE	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
GS100651-001-IAL	Iron	A/L	66 g	4°	0.580"	0.370"	40"	5.5"	High	52-64	L: GG / A: JJ
GS100651-001-IRS	Iron	R/S	69 g	4°	0.580"	0.370"	40"	5.5"	High	57-70	R: GG / S: JJ
GS100651-001-WAL	Wood	A/L	66 g	6°	0.595"	0.335"	46"	6"	High	69-83	L: D / A: H
GS100651-001-WRS	Wood	R/S	68 g	6°	0.595"	0.335"	46"	6"	High	79-96	R: D / S: H

ACER VELOCITY SILVER	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
GS10065L1-001-IAL	Iron	A/L	66 g	4°	0.580"	0.370"	40"	5.5"	High	52-64	L: GG / A: JJ
GS10065L1-001-IRS	Iron	R/S	69 g	4°	0.580"	0.370"	40"	5.5"	High	57-70	R: GG / S: JJ
GS10065L1-001-WAL	Wood	A/L	66 g	6°	0.595"	0.335"	46"	6"	High	69-83	L: D / A: H
GS10065L1-001-WRS	Wood	R/S	68 g	6°	0.595"	0.335"	46"	6"	High	79-96	R: D / S: H

ACER VELOCITY PINK	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
GS10065L-001-IAL	Iron	A/L	66 g	4°	0.580"	0.370"	40"	5.5"	High	52-64	L: GG / A: JJ
GS10065L-001-WAL	Wood	A/L	66 g	6°	0.595"	0.335"	46"	6"	High	69-83	L: D / A: H

ACER VELOCITY LIGHT BLUE	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
GS10065L2-001-IAL	Iron	A/L	66 g	4°	0.580"	0.370"	40"	5.5"	High	52-64	L: GG / A: JJ
GS10065L2-001-WAL	Wood	A/L	66 g	6°	0.595"	0.335"	46"	6"	High	69-83	L: D / A: H

**GS256551A**  
Power Play  
Adrenaline



**GS6862**  
Power Play  
System Q



**HS658**  
Power Play  
Select 5000



**GS256542**  
Dyncraft Super  
Collider



#### Power Play Adrenaline

Ultralight wood shaft for added distance and mid weight iron shaft for added control, the Power Play Adrenaline gives you the proper set of specifications you need when going for it under pressure. These combo-flex shafts are designed to fit a wide range of players and skill levels.

#### Power Play System Q

Featuring a lightweight, mid-torque design, the Power Play System Q shaft will fit golfers of all skill levels.

#### Power Play Select 5000

The Select 5000 graphite shaft features low torque and lightweight design to produce distance and control.

#### Dyncraft Super Collider

This golf ball accelerating shaft is designed to fit a wide range of players with providing the right amount of weight and flex for additional distance, control and feel. The unique 360 degree graphics allow the shaft to be aligned in any position and look aligned; perfect for clubmakers who conduct their shaft alignment and especially for installation in the Dyncraft Prophet ICT adjustable driver series.

POWER PLAY ADRENALINE	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
GS256551A-001-IAL	Iron	A/L	4°	76 g	0.580"	0.370"	41"	5.5"	Mid	50-62	L: DD / A: LL
GS256551A-001-IRS	Iron	R/S	3.5°	82 g	0.600"	0.370"	41"	5.5"	Mid	64-82	R: DD / S: PP
GS256551A-001-WAL	Wood	A/L	6°	61 g	0.580"	0.335"	46"	6"	Mid-High	70-85	L: F / A: D
GS256551A-001-WRS	Wood	R/S	6°	64 g	0.590"	0.335"	46"	6"	Mid-High	80-99	R: D / S: H

POWER PLAY SYSTEM Q	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
GS6862-001-IAL	Iron	A/L	66 g	4°	0.580"	0.370"	40"	5.5"	High	52-63	L: GG / A: JJ
GS6862-001-IRS	Iron	R/S	69 g	4°	0.580"	0.370"	40"	5.5"	High	59-71	R: GG / S: JJ
GS6862-001-WAL	Wood	A/L	66 g	6°	0.590"	0.335"	46"	6"	High	73-87	L: D / A: H
GS6862-001-WRS	Wood	R/S	68 g	6°	0.600"	0.335"	46"	6"	High	77-95	R: D / S: H

POWER PLAY SELECT 5000	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
HS658-001-IRS	Iron	R/S	69 g	3°	0.590"	0.370"	40"	5.5"	Mid	65-79	R: GG / S: JJ

DYNACRAFT SUPER COLLIDER	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
GS256542-001-IAL	Iron	A/L	76 g	4°	0.580"	0.370"	41"	5.5"	Mid	50-62	L: DD / A: LL
GS256542-001-IRS	Iron	R/S	82 g	3.5°	0.600"	0.370"	41"	5.5"	Mid	64-82	R: DD / S: PP
GS256542-001-WAL	Wood	A/L	61 g	6°	0.580"	0.335"	46"	6"	Mid-High	70-85	L: F / A: D
GS256542-001-WRS	Wood	R/S	64 g	6°	0.590"	0.335"	46"	6"	Mid-High	80-99	R: D / S: H

## iBella

**iBella Bellissima**

These are perfect complement to match with the iBella Bellissima family of clubheads. The softer tip section helps increase trajectory coupled with the ultra lightweight design for added speed and more importantly added distance.

**iBella Obsession**

Created especially for the iBella Obsession collection, this very lightweight, flexible design creates added distance and feel for today's woman golfer.

**Powerflex FW501**

The Powerflex FW 501 features filament wound construction, so there is no spline and is extremely consistent around the circumference of the shaft.

**Powerflex FW114**

The Powerflex FW 114 is a value priced shaft designed for mid to high handicappers.

**Tour Series Commercial Grade**

Tour Series Commercial Grade shafts are an outstanding price point alternative. In simple and clean black/gold cosmetics.

**Tour Series Junior**

Specifically designed for juniors. A more flexible fiberglass composite provides the soft flex to help get the ball airborne.

**HSG6012**  
iBella Bellissima



**HSG60611**  
iBella Obsession



## Powerflex

**FW46**  
Powerflex  
FW501



**FW11413**  
Powerflex  
FW114



## Tour Series

**CGG**  
Tour Series  
Commercial  
Grade



**CS200**  
Tour Series  
Junior



IBELLA BELLISSIMA	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
HSG6012-001-IL	Iron	L	63 g	4.5°	0.580"	0.370"	40"	5"	High	54-63	GG
HSG6012-001-WL	Wood	L	63 g	6.5°	0.580"	0.335"	46"	5"	High	66-77	E

IBELLA OBSESSION	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
HSG60611-001-IAL	Iron	A/L	60 g	4.5°	0.570"	0.370"	40"	5.5"	High	50-62	L: GG / A: JJ
HSG60611-001-WAL	Wood	A/L	60 g	6.3°	0.580"	0.335"	46"	6"	High	74-90	L: D / A: H

POWERFLEX FW501	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
FW46-001-IRS	Iron	R/S	86 g	3.5°	0.600"	0.370"	40"	6"	Low-Mid	67-81	R: GG / S: JJ
FW46-001-WRS	Wood	R/S	85 g	6°	0.600"	0.335"	46"	6"	Low-Mid	89-108	R: D / S: H

POWERFLEX FW114	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
FW11413-001-IAL	Iron	A/L	100 g	7°	0.590"	0.370"	41"	5.5"	Mid-High	43-54	L: GG / A: JJ
FW11413-001-IRS	Iron	R/S	114 g	6°	0.590"	0.370"	41"	5"	Mid-High	56-68	R: GG / S: JJ
FW11413-001-WAL	Wood	A/L	100 g	9°	0.600"	0.335"	46"	6"	Mid-High	61-75	L: D / A: H
FW11413-001-WRS	Wood	R/S	106 g	8.5°	0.600"	0.335"	46"	5.5"	Mid-High	70-86	R: D / S: H

TOUR SERIES COMMERCIAL	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
CGG-001-I	Iron		72 g			0.370"	39"				GG
CGG-001-W	Wood		72 g			0.335"	45"				D

TOUR SERIES JUNIOR	SHAFT TYPE	FLEX	WEIGHT	TORQUE	BUTT SIZE	TIP SIZE	LENGTH	TIP PARALLEL	BALL FLIGHT	DSFI RANGE	TRIM CODE
CS200-001-I	Iron	Jr.	72 g		0.500"	0.370"	37"	5"	High	under 45	FF
CS200-001-W	Wood	Jr.	72 g		0.500"	0.335"	40"	7"	High	under 50	A